

## Solidigm™ P41 Plus

### SOLUTION BRIEF

# Excellent Performance for Everyday Work and Play

The P41 Plus is an innovative PCIe 4.0 SSD that delivers an excellent value to PC users for everyday productivity and gaming. The free, optional Solidigm Synergy software enhances performance even further by optimizing the relationship between PC and SSD.

### Product Overview

The P41 Plus features 144-layer 3D NAND, a PCIe 4.0 interface, and is available in an M.2 2280 form factor in capacities of 512GB, 1TB, and 2TB.

Capable of delivering up to 4,125 MB/s sequential read speed, the P41 Plus represents a breakthrough in cost efficiency, delivering great performance at a price that won't break the budget for everyday PC users.



### Key Features

#### Performance with Impact on real-world workloads

Solidigm has taken a thorough approach to client workload analysis and SSD design across many use cases – from daily student and office work to enthusiast-level gaming and content creation – to understand the actual components of user experience. As a result, Solidigm has designed the P41 Plus to work best for the real-world workloads and applications that you use daily.

#### Power and Thermal Efficiency

The P41 Plus is optimized for power savings and thermal efficiency to help deliver consistent performance with minimal throttling.


#### Endurance and Reliability

The P41 Plus is highly durable, allowing you to write more data and read it back with fewer errors over the life of your SSD. You can write hundreds of GB to the drive every day over a five-year warranty period, enabling you to rely on the P41 Plus to provide consistent high performance for the life of your SSD.

#### Increased Performance and Consistency with Solidigm Synergy

Combine the P41 Plus with the Solidigm Synergy software for a complete client storage solution. Solidigm Synergy enhances performance with a new level of communication between the P41 Plus and your PC, enabling the SSD to optimize your most important files and optimizations for quickest access.

For information on Solidigm Synergy, see [www.solidigm.com/synergy](https://www.solidigm.com/synergy)



## P41 Plus Features

### Performance With Impact


Most performance figures on the front of an SSD retail box and in product specification documents are based on pure I/O types at high queue depth (often 32). These figures approach theoretical maximum drive performance but are not necessarily well aligned to real-world usage.

User experience obviously varies depending on what the user is doing, but there are important general trends: PC storage usage tends to be mostly read, mostly random, and nearly all at very low QD.

Solidigm has optimized the P41 Plus for the real-world workloads and applications that you use daily.

**Background on queue depth:** Any workload, even a small one, will generate a huge number of I/O operations. The SSD will process those as quickly as possible, but sometimes a queue, or line, forms of waiting requests. Thanks to clever architecture, modern SSDs can service multiple requests in the queue at a time. Consequently, performance measured in terms of data throughput will be highest at high QD, when multiple requests are processing at once.

But many typical PC workloads just don't form long queues because the SSD is responding as quickly as the requests come in. In fact, Solidigm internal research indicates that more than 90% of typical workloads operate at QD of 1 or 2.



Solidigm client SSDs are built to perform best where it impacts users most

Power and Thermal Efficiency

Save battery life and avoid throttling with a highly efficient SSD architecture.

When an SSD takes on heavy workloads, they consume more power and generate more heat. Overheating could possibly lead to electronic component damages and system failures, so typically any SSD that is starting to overheat is “throttled” – in other words, temporary limited to lower performance – to help it cool down.

Solidigm’s P41 Plus is designed with power optimization and thermal efficiency in its DNA. The P41 Plus is built on a highly efficient architecture that not only helps users save battery life while on the go, but also includes algorithms to help provide consistent performance under heavy workloads.

Endurance and Reliability

Write more data and read it back with fewer errors – backed by a 5-year warranty.

The P41 Plus is highly durable, allowing you to write hundreds of GB of data daily and read it back error without error for the life of your SSD. With a 5 year warranty, you can rely on the P41 Plus to preserve your data for the life of your SSD.

Solidigm Synergy Software

Transparently improves your user experience with performance-optimizing features.

Solidigm Synergy is a free software suite for PCs running Microsoft Windows that unlocks innovative new features on Solidigm SSDs. By closing the gap between the storage device and the rest of the system, Solidigm Synergy enables a more optimized user experience than hardware alone can provide.

There are two components of Solidigm Synergy, both optional but highly recommended:

- The Solidigm Storage Driver automatically and invisibly boosts performance by making “under-the-hood” improvements to the connection between SSD and host system.
- The Solidigm Storage Tool offers a modern user interface for drive health and information reporting, plus the ability to manually trigger useful functions such as Diagnostic Scan and Secure Erase.


High Endurance		
P41 Plus 512 GB	P41 Plus 1 TB	P41 Plus 2 TB
Endurance Rating 200 TBW	Endurance Rating 400 TBW	Endurance Rating 800 TBW
Equivalent to 110GB written per day over 5-year warranty period	Equivalent to 219GB written per day over 5-year warranty period	Equivalent to 438GB written per day over 5-year warranty period



## Solidigm Storage Driver



## Solidigm Storage Tool

<b>Capabilities</b>	Enhances user experience by “closing the gap” between host and storage device to automatically optimize performance and power	Enables users to view drive health reports and trigger useful manual functions  API for integration into customer tools
<b>SSD compatibility</b>	<p><b>All Solidigm SSDs</b> – baseline performance improvement of up to 10% over Windows generic disk driver. Driver will load but HMC only supported on P41 Plus today</p> <p><b>Solidigm P41 Plus</b> – Host-Managed Caching feature delivers an additional performance improvement of up to 10% over Windows in-box PCIe driver</p> <p>Not supported on non Solidigm drives. Default to inbox driver</p>	Device identification and SMART reporting, plus useful Firmware Update, Diagnostic Scan, and Secure Erase features
<b>Platform compatibility</b>	Windows on Intel or AMD	Windows on Intel or AMD
<b>Required for Solidigm SSDs?</b>	No, but strongly recommended	No, but strongly recommended
<b>Cost</b>	Free	Free

For further information on Solidigm Synergy and for free download, see [www.solidigm.com/synergy](http://www.solidigm.com/synergy)

### Solidigm Storage Driver

The Solidigm Storage Driver enables a new level of communication between SSD and host that includes detailed information – not just about what data is being stored, but how important it is to the user. By leveraging this new communication path, the driver can help the SSD optimize how data is stored, ensuring the most useful stuff is available most quickly when needed.

Hardware and firmware innovations have advanced SSD performance and efficiency greatly over the years. But without software, even the most advanced drive today does not actually know much about what it’s storing. SSDs see their contents in terms of logical block addresses, or LBAs – ignorant of whether a given LBA range references an application, a set of family photos, or any other data type.

Hardware and firmware innovations have advanced SSD performance and efficiency greatly over the years. But without software, even the most advanced drive today does not actually know much about what it’s storing. SSDs see their contents in terms of logical block addresses, or LBAs – ignorant of whether a given LBA range references an application, a set of family photos, or any other data type.

### Key feature: Host-Managed Cache

The marquee feature in Solidigm Synergy 1.0 is Host-Managed Caching, which optimizes the use of our SSD’s **SLC cache** to intelligently serve up the user’s most important files and applications at the fastest rate.

A quick primer on the SLC cache is in order. Virtually every client SSD uses one these days. Modern SSDs store three (TLC) or four (QLC) bits per cell, which enables higher densities and lower costs, but the tradeoff is performance – it takes longer to access data in a cell storing multiple bits. To mitigate this tradeoff, most SSDs are shipped with a proportion of their cells set to store one bit each (the SLC cache). Data stored in the SLC cache can potentially be read back much more quickly than data in TLC or QLC cells.

By default, the **conventional SLC** cache implementation is based on write recency. That is, whatever was written to the SSD most recently will go into the cache. It remains there as long as it can (depending on the size of the cache) until more



recent data comes along and kicks it out to the non-cached portion of the drive.

This works great as long as the user only needs to access recently written data. But what if you are often accessing photo sets, games, or other files that were put on the drive more than a few weeks ago?

That's where **Host-Managed Caching** comes in. By leveraging the closer relationship between system and SSD that the driver facilitates, HMC enables the drive to actually see what file types it's storing and how often the user asks for them.




That information, which is inaccessible to an SSD without the help of a driver, unlocks all sorts of possibilities. The drive can now assign a "priority" to each block of data based on its usage characteristics. It can then intelligently sort the contents of the entire drive and ensure that the most useful data is always available in the SLC cache. And it can even "re-insert" older data back into the SLC cache if, for whatever reason, the user begins requesting it more often again – an impossible move under the conventional approach.

## Solidigm Storage Tool

Solidigm Synergy includes the Solidigm Storage Tool, an application that provides SSD health reports and enables users to trigger useful manual functions, such as trim, secure erase, and diagnostic scan. The Solidigm Storage Tool has two interfaces: a GUI to manage the SSD and a Command Line Interface (CLI) to update and configure the drive.

The Solidigm Storage Tool offers:

- Drive health checks
- Estimated drive life remaining
- SMART (Self-Monitoring and Reporting Technology) logs and attributes
- Firmware updates
- Optimizing drive performance with the SSD Optimizer
- Quick or complete diagnostic scans



## Specifications

Available Capacities	512GB	1TB	2TB
Performance Specifications			
Sequential Bandwidth - 100% Read (up to)	3500 MB/s	4125 MB/s	4125 MB/s
Sequential Bandwidth - 100% Write (up to)	1625 MB/s	2950 MB/s	3325 MB/s
Power - Active	80mW		
Power - Idle	25mW		
Reliability			
Vibration - Operating	2.17 GRMS (5-700Hz)		
Vibration - Non-Operating	3.13 GRMS (5-700Hz)		
Shock (Operating and Non-Operating)	1,000 G (Max) at 0.5 msec 1,500 G (Max) at 0.5 msec		
Operating Temperature Range	0°C to 70°C		
Operating Temperature (Maximum)	70 °C		
Operating Temperature (Minimum)	0 °C		
Endurance Rating (Lifetime Writes)	200 TBW	400 TBW	800 TBW
Mean Time Between Failures (MTBF)	1.6 million hours		
Uncorrectable Bit Error Rate (UBER)	< 1 sector per 10 <sup>15</sup> bits read		
Warranty Period	5 years		
Package Specifications			
Form Factors	M.2 22 x 80mm		
Interface	PCIe 4.0 x4   NVMe		
Advanced Specifications			
Hardware Encryption	No		
End-to-End Data Protection	Yes		
NSIT Secure Erase	No		

## About Solidigm

We're technology-driven and customer-inspired. We bring inventive, industry-changing data storage solutions that transform the way data is used and experienced. Our unsurpassed commitment to customer success enhances your ability to fuel your purpose and change the world.

## Our Team

We're inventors, engineers, and problem solvers. We're a team that believes in data's unlimited potential to improve the world and fuel human advancement. Together, we will lead Solidigm and our industry into a new era of excellence, redefining the idea of data storage.

## Why We Do What We Do

We believe that advancements in storage technology are critical to unlocking data's unlimited potential. We are united by a shared commitment to breaking barriers and turning that potential into reality. By reinventing how data is stored, accessed, and put to work in new ways, we empower our customers and unlock data's ability to do good.

## Built on Decades of Innovation

Solidigm launched when SK hynix acquired Intel's NAND and solid-state storage (SSD) business.

For more information about Solidigm see:

<https://www.solidigm.com/en/about-us.html>

## How to Order

The Solidigm P41 Plus is available now and orderable with various retailers and distributors, see:

<https://www.solidigm.com/en/products/authorized-distributors.html>

## For More Information

For more information about the Solidigm P41 Plus see: <https://www.solidigm.com/en/products/client-products.html>

Or visit [www.solidigm.com](https://www.solidigm.com)



All information provided is subject to change at any time, without notice. Solidigm may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Solidigm does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Refer to the spec sheet for formal definitions of product properties and features. Solidigm may make changes to specifications and product descriptions at any time, without notice. Designers must not rely on the absence or characteristics of any features or instructions marked "reserved" or "undefined." Solidigm reserves these for future definition and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to them. The information here is subject to change without notice. Do not finalize a design with this information.

Solidigm technologies may require enabled hardware, software or service activation. No product or component can be absolutely secure. Your costs and results may vary. Performance varies by use, configuration and other factors. Solidigm is committed to respecting human rights and avoiding complicity in human rights abuses. Solidigm products and software are intended only to be used in applications that do not cause or contribute to a violation of an internationally recognized human right. Solidigm does not control or audit third-party data. You should consult other sources to evaluate accuracy.

Nothing herein is intended to create any express or implied warranty, including without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement, or any warranty arising from course of performance, course of dealing, or usage in trade.

The products described in this document may contain design defects or errors known as "errata," which may cause the product to deviate from published specifications. Current characterized errata are available on request.

"Solidigm" is a trademark of SK hynix NAND Product Solutions Corp (d/b/a Solidigm). "Intel" is a registered trademark of Intel Corporation. Other names and brands may be claimed as the property of others.

© Solidigm 2022. All rights reserved

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

## Solidigm:

[SSDPFKNU010TZ](#) [SSDPFKNU010TZ01](#) [SSDPFKNU010TZ1S](#) [SSDPFKNU020TZ](#) [SSDPFKNU020TZ01](#)  
[SSDPFKNU020TZ1S](#) [SSDPFKNU512GZ](#) [SSDPFKNU512GZ01](#) [SSDPFKNU512GZ1S](#) [SSDPFPNU010TZ](#)  
[SSDPFPNU010TZ01](#) [SSDPFPNU010TZ1S](#) [SSDPFPNU512GZ](#) [SSDPFPNU512GZ01](#) [SSDPFPNU512GZ1S](#)